

Ambassador Grand 1800 CNG

Your savings on fuel cost will pay your EMI




ambassador
CNG



Ambassador Grand offers you the most contemporary features. CNG variants have all the core value of Ambassador like safety, sturdiness, space and comfort. The CNG cylinder has been placed in a way that it leaves sufficient space to accommodate your luggage.

So get ready for the best ride in town with the comfortable, spacious, economical and green Ambassador.

The Ambassador - a car with true character, has a green side to itself. Which many can't boast of. The CNG version of the car provides unmatched economy and simultaneously takes care of the environment. It is yet another way of saying WE CARE.



CNG driven cars are well accepted due to environment friendly and economical factors. The Ambassador CNG has negligible emission of toxic gases, minimal noise level and hardly any evaporative losses.


Ambassador CNG owners save 70% cost as compared to petrol vehicle of its category and 40% as compared to diesel driven cars. Isn't it unbelievable? Nevertheless, it is a fact.

Ambassador CNG complies with all safety norms. It is the only three-box car in its category. The factory fitted CNG kit ensures your total safety. The solenoid valve system and the cylinder separated from passenger compartment add to the cars safety.

Per / Km Running Cost

	CNG	Petrol	Diesel
Fuel Cost per Rs. Kg/Ltr	19.2	43.52	30.97
Fuel Average Km/ (kg/ltr)*	16	10	14
Per Km Cost (Rs.)	1.20	4.35	2.21

Fuel Prices as on Jan'08 Ex-Delhi
*Conditions apply




Powerfull AC




Front Split Seat (5+1 Seating)



Mobile Charge Station



Moulded Door Pad



Diamond cut Tail Lamp


Optional features




Study Table



MP3 Music System with Remote



Power Window



Power Steering

Specifications

Ambassador Grand 1800 CNG

BS III

Engine

Type	4 Cylinder OHC
Capacity	1817 cc
Maximum Power	54 bhp @4600 rpm
Torque	10.49 kgm @ 3000 rpm

Transmission

Gear Box	All synchromesh 5 speed gear box including overdrive
Clutch Type	Dry Disc
Clutch Dia.	215 mm

Suspension

Front	Independent suspension with torsion bar springs and anti-roll bar with hydraulic telescopic double acting shock absorbers
Rear	Semi-elliptical leaf springs with hydraulic telescopic double acting shock absorbers and metallic bushes

Steering

Type	Manual Steering. Power Steering	
Overall Ratio	22.2:1	17.3:1(Grand)
Turning Circle Radius	5.4 mtrs	

Brakes

Front	Disc (Servo assisted)
Rear	Drum

Fuel Tank

60 ltr. Water equivalent gas / 5 ltr. Petrol

Dimensions

Length x Width x Height	4325 mm x 1662 mm x 1593 mm
Wheel Base	2464 mm
Tyre Size	165 / 80 R 15 (Radial)
Kerb Weight	1170 kgs.
GVW	1620 kgs.
Ground Clearance	152 mm

Specifications are subject to change without notice. Accessories shown in the picture are not part of standard equipment.

L CNG-BS3



Bharat Stage III*

Hindustan Motors Limited

P.O. Hind Motor, Dist. Hooghly, West Bengal
PIN-712233

www.hmambassador.com